






RATING: 16A 125VAC, 10A 277 VAC 
 3/4 HP, 125/277 VAC 

- (F) UL ENDURANCE RATING: 6000 CYCLES
- INITIAL CONTACT RESISTANCE: 50 mΩ (MAX)
- (F) INSULATION RESISTANCE: 500VDC 100 MΩ (MIN)
- DIELECTRIC STRENGTH: 1500VAC FOR 1 MINUTE.

WATERPROOF: IP56 CAPABLE


RECOGNIZED TO U.S. AND CANADIAN REQUIREMENTS
 UNDER THE COMPONENT RECOGNITION PROGRAM
 OF UNDERWRITERS LABORATORIES, INC.

DATE CODE FORMAT: YYWW





Z = PANEL THICKNESS

DIM. Z	DIM. X	DIM. Y
.030 TO .049 [0.75 TO 1.25]	1.441±.004 [36.6±0.1]	.835±.004 [21.2±0.1]
.049 TO .079 [1.25 TO 2.00]	1.449±.004 [36.8±0.1]	.835±.004 [21.2±0.1]
.079 TO .118 [2.00 TO 3.00]	1.457±.004 [37.0±0.1]	.835±.004 [21.2±0.1]



DETAIL A
 SCALE 2:1

DWN: J DOLNIK		CONFIDENTIAL AND PROPRIETARY: ALL INFORMATION OR INVENTIONS CONTAINED IN THIS DOCUMENT OR DERIVED FROM THE INFORMATION THERE IN IS OWNED BY ZF ELECTRONIC SYSTEMS, AND IS CONFIDENTIAL AND PROPRIETARY. REVIEW OR POSSESSION OF THIS DOCUMENT INDICATES AGREEMENT THAT SUCH INFORMATION AND INVENTIONS WILL NOT BE DISCLOSED, REPRODUCED OR OTHERWISE USED IN ANY WAY WITHOUT EXPRESS WRITTEN PERMISSION FROM AN AUTHORIZED REPRESENTATIVE OF ZF ELECTRONIC SYSTEMS.				<div></div> <div>ZF Electronic Systems</div>	
APVD: JR							
DATE: 20-May-08							
THIRD ANGLE PROJECTION							
<div></div>						PLEASANT PRAIRIE, WISCONSIN U.S.A.	
						NAME / DESCRIPTION	
						KS-SPST ON-OFF NON-LIGHTED	
		TOLERANCE UNLESS SPECIFIED				B	
PROJECT/ CSR		DWG UNITS	X.XX	X.XXX	ANGLES	ITEM NO. KSF2ANB1BBD	
D	4000000138	INCH	± 0.02	± 0.012	± 5 °	SCALE: 1:1 SH 1 OF 1	

F	Z000374409	22-Aug-16	GP	EL
REV	ECO NO.	DATE	PREP	APVD

ORIGINAL ON PROJE